



1
TYPICAL SEALANT DETAIL
AT CRACK OR CONSTRUCTION JOINT

S-9 SCALE: N.T.S.




2
MEMBRANE DETAIL AT CRACKS

S-9 SCALE: N.T.S.



3A
MEMBRANE DETAIL
AT PATCH EDGES


S-9 SCALE: N.T.S.



3B
MEMBRANE DETAIL
AT PATCH EDGES


S-9 SCALE: N.T.S.

NOTE: THIS DETAIL FOR LOCALIZED CONCRETE AND MEMBRANE REPAIRS IN WEST BALCONY AND LOWER STADIUM




4
MEMBRANE DETAIL AT CURBS
COLUMNS AND WALLS

S-9 SCALE: N.T.S.




5
MEMBRANE DETAIL AT RE - ENTRANT
CORNERS AND / OR CONSTRUCTION JOINTS

S-9 SCALE: N.T.S.



6
MEMBRANE DETAIL AT PRECAST JOINTS


S-9 SCALE: N.T.S.



7
SEALANT DETAIL


S-9 SCALE: 1\"/>

NOTE: WHEN JOINT WIDTH VARIES BETWEEN FRONT AND BACK OF TREAD, VARY DEPTH AND / OR SIZE OF BACKER ROD TO MAINTAIN SEALANT PROFILE SHOWN. IF MEMBRANE IS TO BE APPLIED OVER SEALANT JOINT, INSTALL MEMBRANE PER SEALED CRACK DETAIL 2/S-9



8
MEMBRANE DETAIL AT SURFACE DRAINS


S-9 SCALE: N.T.S.



NOTE: ALL COLORS SHALL BE APPROVED BY THE UNIVERSITY PRIOR TO APPLICATION / INSTALLATION

9
COLOR SCHEME FOR AISLES

S-9 SCALE: N.T.S.



10
SEALANT DETAIL AT SEAT BRACKETS

DETAIL S-9 SCALE: N.T.S.

S-9 SCALE: N.T.S.

